



Proposed Rule: Purpose

- Accept and Promote New Technologies
- Maintain FDA Enforcement Integrity
 - Review/Copy records
 - Document individual responsibility
 - Investigate falsification
 - Pursue legal actions





Other Respondents: Consultants: 3 System developers: 3 Attorneys: 2 Non-specific firms: 2 Non-specific association: 1 Individual: 1 Federal agency: 1 Delivery service: 1




Respondents' General Concerns

- Technological Flexibility
- Requirements Parity
 - Paper vs. Electronic
- New FDA Inspections
 - Remote access
 - Electronic (true) copies







Respondents' Specific Concerns

- Open/Closed system definitions
- True Copies to FDA
- Time stamped audit trails
- Signature manifestations
- Signature/record binding
- Certification to FDA
- Identification device testing

§ 11.3 Definitions

Closed System:

An environment where there's communication among multiple persons, where system access is restricted to people who are part of the organization that operates the system.

more ...

NOTICE

§ 11.3 Definitions

Open System:



An environment where there's communication among multiple persons, where system access extends to people who are not part of the organization that operates the system.

Closed and Open Systems §11.3(b)(4)&(8)

- Problem:
 - Definition too narrow
 - Excludes Contractors
- Solution?:
 - Change from unit membership to system access control

§11.10 Controls for Closed Systems

- Able to generate true copies
 - Human readable form
 - Electronic form
 - Suitable for FDA
 - Inspection
 - Review
 - Copying

more ...

True Copies in Electronic Form §11.10(b)

- Problem:
 - Retain supplanted systems
 - ► True = file formats
 - Give FDA electronic cc's
- Solution?:
 - Change "true" to "complete and accurate"
 - Retain electronic copy provision

§11.10 Controls for Closed Systems

- Time stamped audit trail shows:
 - Changes
 - Don't obscure prior info.
 - Write to file operations
 - Operator entries/actions

more ...

Time Stamped Audit Trails §11.10(e)

- Problem:
 - Covers too much
 - e.g., temp. system files
 - Recording time unnecessary
- Solution?:
 - Limit to info in comparable paper records
 - Retain time as vital to:
 - complete documentation
 - deter falsification

§ 11.50 Signature Manifestations

- E-record must show:
 - Signer's printed name
 - Date/time of signing
 - Meaning of signature:
 - e.g., review, approval

Signature Manifestations §11.50

- Problem:
 - Embedding info in record
 - need more flexible links to info
 - Recording time of signing unnecessary
- Solution?:
 - Change from embedding to info linkage
 - Retain time as vital to:
 - complete documentation
 - deter falsification

§ 11.70 Signature/record Binding

- Ensure against record falsification:
 - Sigs. can't be:
 - excised/copied/transferred
- Applies to e-sigs and handwritten sigs. on e-records.

Signature/Record Binding §11.70

- Problem:
 - Embedding info in record
 - need more flexible links to info
 - passwords in records
- Solution?:
 - Change from embedding to info linking

§ 11.100 General Requirements

- •Certify to FDA, system's e-sigs:
 - Authentic
 - Valid
 - Binding
- Certify specific e-sig, per request
- Send certification to FDA district office

Certification to FDA §11.100(c)

- Problem:
 - "Guarantee" is unattainable absolute
 - Contrary to other sections
 - Unprecedented
 - Unwarranted
- Solution?:
 - Recast legal equivalency certification
 - E-sig = handwritten signature

§ 11.300 Controls for Identification Codes/Passwords

- Test id devices (e.g., token, card):
 - For proper functioning
 - Periodically

Identification Device Testing §11.300(e)

- Problem:
 - Unnecessary
 - Devices tested per ea. use
 - Devices fail "safe" (deny access)
- Solution?:
 - Clarify intent to test for:
 - unauthorized modification
 - wear and tear

Future Guidance

- Passwords
- Digital signatures
- Audit trails
- Software validation
- Identity verification

more ...

Future Guidance

- Electronic submissions
- Device checks
- Token (card) controls
- Signature to record linking

